




SILCA SYSTEM OVER- MEMBRANE



INSIDE THIS ISSUE

PG. 2

Explore the Key Benefits and Technical Highlights

PG. 3

Range of pedestal heights available.

PG. 4

Notes and contact



SILCA SYSTEM GRATES INSTALLED ON ADJUSTABLE PEDETALS

Silca System installed direct on adjustable pedestal, now optimised for overmembrane applications.

Designed to meet the high standards of demanding residential and commercial environments, Silca System Grates deliver a robust and cost-effective solution that aligns with E2/AS1 standards.

















DIRECT INSTALLATION ON ADJUSTABLE PEDESTALS:

Our grates pair seamlessly with the Buzon Adjustable Pedestal Range, enhancing versatility and durability for any exterior surface material.


SUPPORT FOR A RANGE OF SURFACES:

Non-Structural surface materials including **natural stone**, terrazzo tile, porcelain, or artificial turf. Silca System Grates provide solid structural support across the decking element without compromising design flexibility.

FLEXIBLE PACKAGE OPTIONS:

We offer supply-only or supply & install packages, tailored to meet your project requirements.





TECHNICAL HIGHLIGHTS:

DURABILITY & LOAD-BEARING CAPACITY:

Engineered to handle high-traffic commercial and res environments.

SUSTAINABILITY & COMPLIANCE:

Meets the standards required for structural and durability performance.

Compliance to B1/VM1 and B2 of AS/NZS1170.1. and E2/AS1 Permeable surface – level entry through threshold.

SILCA SYSTEM PRODUCTS ARE NZ MADE FROM 100% RECYCLED MATERIALS - GREEN BUILD PRODUCT.









Our DPH-series





DPH-series without integrated slope corrector













17 0682 17 mm

77 0684 28 mm

- 11 2378 18-28 mm

11 0683 25-36 mm

77 0685 35-53 mm

77 0687 50-78 mm

DPH-series with integrated slope corrector





Integrated slope corrector



An unscrewing safety system preventing each element from detaching at the maximum height reached











Website: www.silcasystem.co.nz

Email: info@silcasystem.co.nz







